

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23495

Stream : St. Joseph River

Applicant : Indiana Department of Transportation
Samuel E Wolfe, P.E. L.S
Toll Road District
PO Box 1, 52551 Ash Road
Granger, IN 46530-0001

Description : The existing Toll Road bridges over County Road 25 and the St. Joseph River will be rehabilitated. Portions of the piers and the entire abutments will be removed and replaced. Temporary fill (coarse aggregate and rip-rap) will be placed in the St. Joseph River to provide access to repair the piers and will be completely removed upon project completion. Rip-rap will be placed along approximately 650' of the east and west riverbanks. The rip-rap will conform to the existing bank at the project limits. Details of the project are contained in information and plans received at the Division of Water on August 18, 2005.

Location : Indiana East-West Toll Road Bridges over County Road 25
DOWNSTREAM: near Bristol, Washington Township, Elkhart County
NW¼, SW¼, NW¼, Section 23, T 38N, R 6E, Bristol Quadrangle
Quad Code: 4108567
UTM Coordinates: Downstream 4620850 North, 599250 East
UPSTREAM: Elkhart County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23497

Stream : Graham McCulloch Ditch
Number One

Applicant : Allen County Surveyor's
James DeArmond
One East Main Street, Room 610
Fort Wayne, IN 46802-1882

Description : Approximately 160' of stream will be realigned to the original alignment and a 20' ditch bottom will be established. In addition, approximately 160' of the stream's west (right) streambank will be stabilized with riprap or concrete filled Geo-web placed and secured with a 2:1 slope to protect the bank from further erosion. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : approximately 2000' downstream (south) of the South Bend Drive crossing and extending approximately 200' downstream
DOWNSTREAM: near Fort Wayne, Aboite Township, Allen County
NE¼, NW¼, NE¼, Section 24, T 30N, R 11E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4544982 North, 648494 East
UPSTREAM:
UTM Coordinates: Upstream 4545032 North, 648495 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23498

Stream : Cochoit Ditch

Applicant : Allen County Surveyor's
James DeArmond
One East Main Street, Room 610
Fort Wayne, IN 46802-1882

Description : Approximately 160' of stream will be realigned to the original alignment. In addition, approximately 160' of the stream's west (right) streambank will be stabilized with riprap or concrete filled Geo-web placed and secured with a 2:1 slope to protect the bank from further erosion. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005

Location : Approximately 1800' downstream of the Hartzell Road crossing and extending approximately 200' downstream
DOWNSTREAM: near New Haven, Adams Township, Allen County
SE¼, SE¼, SW¼, Section 11, T 30N, R 13E, Fort Wayne East Quadrangle
Quad Code: 4108511
UTM Coordinates: Downstream 4547413 North, 665404 East
UPSTREAM:
UTM Coordinates: Upstream 4547372 North, 665360 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23499

Stream : Lost River

Applicant : Dubois Water Utilities
Doug Libbert
PO Box 338
Dubois, IN 47527-0338

Description : A 4" diameter water main line will be installed at a minimum depth of 3' below the streambed and the streambanks. The directional bore construction method will be used. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : Approximately 50' upstream of the Butler Bridge (Rusk Road / County Road 7)
stream crossing
DOWNSTREAM: near Rusk, Lost River Township, Martin County
W½, NE¼, NW¼, Section 21, T 2N, R 3W, Rusk Quadrangle
Quad Code: 3808657
UTM Coordinates: Downstream 4271855 North, 521585 East
UPSTREAM:
UTM Coordinates: Upstream 4271825 North, 521605 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-23500

Stream : Patoka River

Applicant : Dubois Water Utilities
Doug Libbert
PO Box 338
Dubois, IN 47527-0338

Description : A 6" diameter water transmission main line will be installed at a minimum depth of 3' below the streambed and the streambanks. The directional bore construction method will be used. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : Approximately 50' downstream at the confluence of Beaver Creek
near Kellerville, Marion Township, Dubois County
SW¼, NE¼, NE¼, Section 20, T 1S, R 4W, Dubois Quadrangle
Quad Code: 3808647
UTM Coordinates: Downstream 4252530 North, 511160 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23501

Stream : Patoka River

Applicant : Dubois Water Utilities
Doug Libbert
PO Box 338
Dubois, IN 47527-0338

Description : A 10" diameter water transmission main line will be installed at a minimum depth of 3' below the streambed and the streambanks. The directional bore construction method will be used. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : Approximately 50' downstream of the County Road 175 East (John Seitz Bridge) stream crossing
near Kellerville, Harbison Township, Dubois County
S½, NE¼, SE¼, Section 5, T 1S, R 4W, Dubois Quadrangle
Quad Code: 3808647
UTM Coordinates: Downstream 4256200 North, 511220 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-23502

Stream : Lost River

Applicant : Dubois Water Utilities
Doug Libbert
PO Box 338
Dubois, IN 47527-0338

Description : A 4" diameter water main line will be installed at a minimum depth of 3' below the streambed and the streambanks. The directional bore construction method will be used. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : Approximately 6,050 linear feet upstream of the Progress School Road stream crossing
near Windom, Lost River Township, Martin County
S½, SE¼, Section 26, T 2N, R 4W, Rusk Quadrangle
Quad Code: 3808657
UTM Coordinates: Downstream 4268955 North, 515900 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23503

Stream : Phillips Ditch

Applicant : Hidden Creek LLC
Andy Place
1620 North Ironwood
South Bend, IN 46637

Description : A 68" x 106" corrugated metal culvert will be installed to provide a traffic crossing. In addition, sewer and water lines will be placed beneath the streambed at the same site as the culvert. The lines will be placed by directional bore. Details of the project are contained in information and plans received at the Division of Water on August 19, 2005.

Location : Northwest corner of Jackson Road and Scott Street
near South Bend, Centre Township, St. Joseph County
SE¼, SW¼, Section 26, T 37N, R 2E, Lakeville Quadrangle
Quad Code: 4108653
UTM Coordinates: Downstream 4607886 North, 561753 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23504

Stream : Brandywine Creek

Applicant : Donna Pope
4496 East 100 North
Greenfield, IN 46140-8906

Description : A 170' x 791' area will be filled in the west floodplain of Brandywine Creek. The fill varies in depth from 108" on the landward side to approximately 1' on the streamward side. It will be set 10' back from the top of the bank and will have 1:20 sideslopes. The finished elevation of the fill will be at 877.0', NGVD. No borrow pit and the fill material shall be obtained via excavation of basements, a pool, and New Road widening project. Approximately 100% of the shoreline will be maintained at a shallow slope to encourage the development of wetland vegetation. Details of the project are contained in information received electronically at the Division of Water on August 23, 2005 and in plans and information received at the Division of Water on August 22, 2005.

Location : 850 East New Road
DOWNSTREAM: near Greenfield, Center Township, Hancock County
SE¼, SW¼, Section 21, T 16N, R 7E, Greenfield Quadrangle
Quad Code: 3908577
UTM Coordinates: Downstream 4407655 North, 606205 East
UPSTREAM:
UTM Coordinates: Upstream 4407920 North, 606200 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-23513

Stream : St. Joseph River

Applicant : Robert E Gaff
54729 Streeter Lane
Elkhart, IN 46514-4681

Description : An existing, steel sheet piling seawall will be refaced with a new steel sheet piling seawall along 75' of the 165' frontage of the north (right) bank of the St. Joseph River to deter bank erosion. The new wall will be approximately 4.5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into the existing steel seawall on the adjacent property located to the west and will radius into the bank blending into the existing glacier stone seawall on the east 90' of this same property. The piling will be driven approximately 6.5' into the riverbed and will be anchored with deadmen spaced at 12' intervals. A steel, rear facing whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received electronically at the Division of Water on August 24, 2005.

Location : Along the north (right) bank of the St. Joseph River approximately 5300' downstream of the bridge at County Road 17
at Elkhart, Osolo Township, Elkhart County
SW¼, Section 36, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20229

Lake : Sylvan Lake

Applicant : Craig N Trees
1654 Westwood Drive
Anderson, IN 46011-1177

Description : A new concrete seawall will be constructed across 80' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal/average normal shoreline.

Location : East Pleasant Point Subdivision, Lot 19 and the south 17' of lot 18
near Rome City, Orange Township, Noble County
SE¼, SW¼, SE¼, Section 15, T 35N, R 10E, Kendallville Quadrangle
Quad Code: 4108543
UTM Coordinates: Downstream 4593395 North, 637725 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20230

Lake : Tippecanoe Lake

Applicant : Fred D Bradley
65654 Ash Road
Wakarusa, IN 46573-9401

Description : A new vinyl seawall will be constructed across 143' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal level. Details of the project are contained in information received electronically at the Division of Water on August 23, 2005.

Location : 35 EMS T17A Lane
near Leesburg, Tippecanoe Township, Kosciusko County
SW¼, NE¼, Section 18, T 33N, R 7E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4574424 North, 604240 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20232

Lake : Winona Lake

Applicant : Dr. Bruce Blackburn
1115 Country Club Lane
Warsaw, IN 46580-5024

Description : An existing seawall will be removed and replaced with a new one constructed across the applicant's frontage. The lakeward face of the wall will be located along the lake's legal/average normal shoreline.

Location : 1115 Country Club Lane
near Leesburg, Tippecanoe Township, Kosciusko County
NE¼, NW¼, SW¼, Section 27, T 33N, R 7E, North Webster Quadrangle
Quad Code: 4108536
UTM Coordinates: Downstream 4564250 North, 597250 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20234

Lake : Clear Lake

Applicant : Greg Spangler
512 Oakwood Avenue
Bryan, OH 43506

Description : An existing glacier stone/concrete seawall will be refaced across the entire 43ft of the 43ft frontage of the applicant on Clear Lake to prevent deterioration. The refacing will consist of the same glacier stones along with new concrete which will be tied to the existing wall with concrete. The refacing will have a maximum thickness of 36 inches and will be sloped on the lakeward side. An 8 inch wide (6 in tall) layer of existing concrete will remain at the base of the wall for toe protection. An 18 inch wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on August 25, 2005.

Location : The project is located on the south shore of Clear Lake, approximately 1/8 mile east of the island. It is immediately in front (north) of my Clear Lake property at 864 Lake Drive
near Fremont, Clear Lake Township, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11